



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/785,434	02/24/2004	David Arthur Welch	WELCH 4	8500
50525 7590 06/23/2010 DUFT BORNSSEN & FISHMAN, LLP 1526 SPRUCE STREET SUITE 302 BOULDER, CO 80302				
EXAMINER				
KEEHN, RICHARD G				
ART UNIT		PAPER NUMBER		
2456				
MAIL DATE		DELIVERY MODE		
06/23/2010		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/785,434

Applicant(s)

WELCH, DAVID ARTHUR

Examiner

RICHARD G. KEEHN

Art Unit

2456

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 April 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1, 5, 6, 8-11, 15, 16 and 18-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 5, 6, 8-11, 15, 16 and 18-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB06)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. **Claims 1, 5, 6, 8-11, 15, 16 and 18-20 have been examined and are pending.**
2. **Claims 2-4, 7, 12-14 and 17 are cancelled.**
3. **No new claims are presented.**
4. **This Office action follows a decision to reopen made during an appeal conference. Accordingly, this Office action is made Non-Final.**

Response to Arguments

5. Applicant's arguments, see pages 7-12, filed 4/1/2010, with respect to the rejection(s) of claim(s) 1, 5, 6, 8-11, 15, 16 and 18-20 under 35 U.S.C. 103(a) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of the combination of Bigus et al. and El-Fekih et al.; and the combination of Bigus et al, El-Fakih et al. and Ansari. (see rejections below)

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

6. **Claims 1, 8-11 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 2005/0065753 A1 (Bigus et al.), and further in view of US 2002/0039352 A1 (El-Fakih et al.).**

As to Claims 1 and 11, Bigus et al. disclose a telecommunication system configured to provide distributed system monitoring, the telecommunication system comprising; and a method of operating a telecommunication system to provide distributed system monitoring, wherein the telecommunication system comprises a plurality of peer communication devices coupled to a control system, the method comprising the steps of:

a control system (Bigus et al. disclose the computer system and software - ¶ [0010]); and

a plurality of peer communication devices, where each peer communication device, responsive to handling telecommunications data, collects performance data and transfers the performance data to the control system (Bigus et al. disclose the peer wireless communications devices responsive to handling telecommunications data - ¶¶ [0031 and 0059] collecting performance metrics and sending them to a control control system - ¶¶ [0010 and 0043]);

the control system, responsive to receipt of the performance data from the peer communication devices, processes the performance data from each of the peer communication devices to generate a performance file that indicates the performance of each of the peer communication devices (Bigus et al. disclose, responsive to receiving individual client performance metrics, analysis of said metrics and generation of reports including fault status {red light condition} and data in numeric reports, indicating both

client performance as a function of overall system performance, and overall system performance itself - ¶¶ [0053-0055 and 0063-0066]);

processes the performance file to compare its performance to the performance of the other peer communication devices to detect a fault (Bigus et al. disclose, responsive to receiving individual client performance metrics, analysis of said metrics and generation of reports including fault status {red light condition} and data in numeric reports, indicating both client performance as a function of overall system performance, and overall system performance itself - ¶¶ [0053-0055 and 0063-0066]).

Bigus et al. do not disclose and transfers the performance file to each of the communication devices; each of the communication devices, responsive to receipt of the performance file, detect a fault; and responsive to detection of the fault, at least one of the communication devices processes the performance file to identify at least one recovery action, and performs the at least one recovery action to attempt to cure the fault. However El-Fekih et al. disclose

and transfers the performance file to each of the communication devices (El-Fekih et al. disclose the client receiving performance report - ¶ [0010]); and

each of the communication devices, responsive to receipt of the performance file, detect a fault (El-Fekih et al. disclose the client taking corrective action based on analysis of the performance report - ¶ [0113]); and

responsive to detection of the fault, at least one of the communication devices processes the performance file to identify at least one recovery action, and performs the

at least one recovery action to attempt to cure the fault (El-Fekih et al. disclose identification and performance of corrective action - ¶ [0113]).

It would have been obvious to one of ordinary skill in the art to combine and transfers the performance file to each of the communication devices; each of the communication devices, responsive to receipt of the performance file, detect a fault; and responsive to detection of the fault, at least one of the communication devices processes the performance file to identify at least one recovery action, and performs the at least one recovery action to attempt to cure the fault, taught by El-Fekih et al., with performance monitoring taught by Bigus et al., in order to ensure service quality (El-Fekih et al. - ¶ [0006]).

As to Claim 8, the combination of Bigus et al. and El-Fekih et al. discloses the telecommunications system of claim 1, wherein:

each of the peer communication devices periodically transfers the performance data to the control system (Bigus et al. disclose periodic transfer - ¶¶ [0043 and 0062]).

As to Claim 9, the combination of Bigus et al. and El-Fekih et al. discloses the telecommunications system of claim 1

wherein the performance data includes a performance grade for each of the peer communication devices (Bigus et al. disclose, responsive to receiving individual client performance metrics, analysis of said metrics and generation of reports including fault status {red light condition}, grades of "red", "yellow" and "green" and data in numeric

reports, indicating both client performance as a function of overall system performance, and overall system performance itself - ¶¶ [0053-0055 and 0063-0066]).

As to Claim 10, the combination of Bigus et al. and El-Fekih et al. discloses the telecommunications system of claim 1

wherein the performance file includes a list of performance data for each of the peer communication devices (Bigus et al. disclose, responsive to receiving individual client performance metrics, analysis of said metrics and generation of reports including fault status {red light condition} and data in numeric reports, indicating both client performance as a function of overall system performance, and overall system performance itself - ¶¶ [0053-0055 and 0063-0066]).

As to Claim 18, the combination of Bigus et al. and El-Fekih et al. discloses the method of claim 11 wherein the step of transferring the performance data from each of the peer communication devices to the control system comprises the step of:

periodically transferring the performance data from each of the peer communication devices to the control system (Bigus et al. disclose periodic transfer - ¶¶ [0043 and 0062]).

As to Claim 19, the combination of Bigus et al. and El-Fekih et al. discloses the method of claim 11

wherein the performance data includes a performance grade for each of the peer communication devices (Bigus et al. disclose, responsive to receiving individual client performance metrics, analysis of said metrics and generation of reports including fault status {red light condition}, grades of "red", "yellow" and "green" and data in numeric reports, indicating both client performance as a function of overall system performance, and overall system performance itself - ¶¶ [0053-0055 and 0063-0066]).

As to Claim 20, the combination of Bigus et al. and El-Fekih et al. discloses the method of claim 11

wherein the performance file includes a list of performance data for each of the peer communication devices (Bigus et al. disclose, responsive to receiving individual client performance metrics, analysis of said metrics and generation of reports including fault status {red light condition} and data in numeric reports, indicating both client performance as a function of overall system performance, and overall system performance itself - ¶¶ [0053-0055 and 0063-0066]).

7. Claims 5, 6, 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Bigus et al. and El-Fekih et al., and further in view of US 2004/0153823 A1 (Ansari).

As to Claims 5 and 15, the combination of Bigus et al. and El-Fekih et al. discloses the telecommunications system of claim 1, and the method of claim 11

wherein the at least one peer communication device [...] by the at least one recovery action, [...] by the at least one recovery action (El-Fekih et al. disclose identification and performance of corrective action - ¶ [0113]; Bigus et al. disclose the peer wireless communications devices responsive to handling telecommunications data - ¶¶ [0031 and 0059]).

The combination if Bigus et al. and El-Fekih et al. does not disclose wherein the device determines if the fault is cured, and generates a report of the fault if the fault is not cured, and transfers the report of the fault to the control system. However, Ansari discloses

wherein the device determines if the fault is cured, and generates a report of the fault if the fault is not cured, and transfers the report of the fault to the control system (Ansari discloses determining if a fault is cured or not, generating a report and transferring the report to a control system - ¶¶ [0027-0029]).

It would have been obvious to one of ordinary skill in the art to combine wherein the device determines if the fault is cured, and generates a report of the fault if the fault is not cured, and transfers the report of the fault to the control system, taught by Ansari, with performance monitoring taught by the combination of Bigus et al. and El-Fekih et al., in order to provide diagnosis and assistance with self-healing in performance-monitored systems (Ansari - ¶ [0004]).

As to Claims 6 and 16, the combination of Bigus et al., El-Fekih et al. and Ansari discloses the telecommunications system of claim 5 the method of claim 15

wherein the control system, responsive to receipt of the report of the fault, identifies at least one recovery action, and performs the at least recovery action on the at least one peer communication device (Bigus et al. disclose the peer wireless communications devices responsive to handling telecommunications data - ¶¶ [0031 and 0059]; Ansari discloses wherein the control system, responsive to receipt of the report of the fault, identifies at least one recovery action - ¶¶ [0027 and 0029]; and performs the at least recovery action on the at least one device - ¶ [0004]).

The motivation and obviousness arguments are the same as in Claim 5.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. These were disclosed in a prior Office action(s).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to RICHARD G. KEEHN whose telephone number is (571)270-5007. The examiner can normally be reached on Monday through Thursday, 9am - 8pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rupal Dharia can be reached on 571-272-3880. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Rupal D. Dharia/
Supervisory Patent Examiner, Art
Unit 2400

RGK